

TESTPASSPORT

練習題



質 量 更 高

服 務 更 好

<https://www.testpassport.net>

免費一年更新服務

Exam : 000-787

**Title : IBM tivoli Business sys mgr
v3.1 distributed
implementation**

Version : DEMO

1.Which method starts an upload of all the Tivoli NetView resources to IBM Tivoli Business Systems Manager (ITBSM)?

- A.from the ITBSM GUI, select Tools then ITBSM Adapter Manager: Bulk Upload
- B.from the ITBSM Database Server, execute the ovbulkdiscovery command
- C.from the IBM Tivoli NetView server, execute the ovbulkdiscovery command
- D.from the IBM Tivoli NetView menu, select Tools then ITBSM Adapter Manager: Bulk Upload

Correct:D

2.In which database are Microsoft SQL jobs stored?

- A.msdb
- B.Object
- C.master
- D.northwind

Correct:A

3.What is the function of the Resource Priority property on any resource?

- A.It determines the Alert Level of the Resource.
- B.It determines the priority of an event received by this Resource.
- C.It determines the priority of any Child Event sent from this Resource.
- D.It determines the color of the alert when an Alert Threshold is crossed.

Correct:C

4.What does the tgmtaskconfig command do?

- A.It configures Task Server code on the server where Task Server is installed.
- B.It defines IBM Tivoli Business Systems Manager (ITBSM) tasks to Task Server.
- C.It configures Task Server to recognize tasks defined in IBM Tivoli Enterprise Console (ITEC).
- D.It configures the list of Task Servers to be connected to by the task process running on the ITBSM servers.

Correct:D

5.Which two statements are true about distributed object placement in the IBM Tivoli Business Systems Manager (ITBSM) All Resources view? (Choose two.)

- A.The placedistributedobject command is used.
- B.The distributed resources are inserted via the ITBSM GUI.
- C.Resources are dragged and dropped into the All Resources view.
- D.SQL tables are used to place the Resource based on the Discovery Event.
- E.The rule-based technique is used to place the Resource based on the Discovery Event.

Correct:D E

6.Click the Exhibit button. The diagram shows the Exceptions tab for a Business System shortcut. How are the Current values set?

Marketing - Properties

Exceptions

Red Thresholds

Priority	Current value	Shortcut Threshold	Source Threshold
Critical	0		0
High	0		0
Medium	0		0
Low	0		0
Ignore	0		0

Clear All Change...

Yellow Thresholds

Priority	Current value	Shortcut Threshold	Source Threshold
Critical	0		0
High	1		0
Medium	0		0
Low	0		0
Ignore	0		0

Clear All Change...

Exceptions

Alert State	Priority	Exception na	Description	Date	Seq No	Occurrences
No data is currently available.						

OK Apply Cancel

- A.by typing the value to be set in the Current value column
- B.by Resources in the Business System receiving Exception Type events
- C.by clicking on the Change button on the Exception Type that is to be changed
- D.by navigating to the Non-Shortcut Business System and clicking on the Change button

Correct:B

7.How is a service created for the IBM Tivoli Business Systems Manager (ITBSM) Executive Dashboard?

- A.right-click on the Tree View and insert a New Service
- B.drag the Resource into the Executive Dashboard view
- C.modify the General tab on the Properties page of the Resource
- D.modify the Executive Dashboard tab on the Properties page of the Resource

Correct:D

8.Which group enables an IBM Tivoli Business Systems Manager (ITBSM) Web Console to create Shared Filters?

- A.TBSM_Admistrators
- B.TBSM_WebConsoleUsers
- C.TBSM_Web_Console_Users
- D.TBSM_Web_Console_Administrators

Correct:A

9.Which SQL table in the Object Database is used to turn on event logging for IBM Tivoli Business Systems Manager (ITBSM) distributed events?

- A.GEM_Options

- B.TBSMD_Tracing
- C.GEM_Trace_Settings
- D.TBSMD_Trace_Options

Correct:A

10.A Tivoli task defined on the IBM Tivoli Business Systems Manager (ITBSM) GUI will NOT execute unless the task is run on which type of host?

- A.a Tivoli Task Server
- B.a management application server
- C.a host associated with the resource displayed in ITBSM
- D.a Tivoli endpoint or managed node known to the Task Server

Correct:D