

# T estpassport考試指南



品 質 更 高 服 務 更 好

一年免費更新服務

<http://www.testpassport.net>

**Exam** : **1Z0-147**

**Title** : Oracle9i program with pl/sql

**Version** : DEMO

**1.What can you do with the DBMS\_LOB package?**

- A.Use the DBMS\_LOB.WRITE procedure to write data to a BFILE.
- B.Use the DBMS\_LOB.BFILENAME function to locate an external BFILE.
- C.Use the DBMS\_LOB.FILEEXISTS function to find the location of a BFILE.
- D.Use the DBMS\_LOB.FILECLOSE procedure to close the file being accessed.

**Correct:D**

**2.Examine this procedure: CREATE OR REPLACE PROCEDURE ADD\_PLAYER (V\_ID IN NUMBER, V\_LAST\_NAME VARCHAR2) IS BEGIN INSERT INTO PLAYER (ID, LAST\_NAME) VALUES (V\_ID, V\_LAST\_NAME); COMMIT; END; This procedure must invoke the UPD\_BAT\_STAT procedure and pass a parameter. Which statement, when added to the above procedure, will successfully invoke the UPD\_BAT\_STAT procedure?**

- A.EXECUTE UPD\_BAT\_STAT(V\_ID);
- B.UPD\_BAT\_STAT(V\_ID);
- C.RUN UPD\_BAT\_STAT(V\_ID);
- D.START UPD\_BAT\_STAT(V\_ID);

**Correct:B**

**3.Which three describe a stored procedure? (Choose three.)**

- A.A stored procedure is typically written in SQL.
- B.By default, a stored procedure executes with the privileges of its owner.
- C.A stored procedure has three parts: the specification, the body, and the exception handler part .
- D.A stored procedure is stored in the database and can be shared by a number of programs.
- E.A stored procedure offers some advantages over a standalone SQL statement, such as programmable functionality and compiled code.

**Correct:B D E**

**4.Examine this package: CREATE OR REPLACE PACKAGE pack\_cur IS CURSOR c1 IS SELECT prodid FROM product ORDER BY prodid DESC; PROCEDURE proc1; PROCEDURE proc2; END pack\_cur; / CREATE OR REPLACE PACKAGE BODY pack\_cur IS v\_prodid NUMBER; PROCEDURE proc1 IS BEGIN OPEN c1; LOOP FETCH c1 INTO v\_prodid; DBMS\_OUTPUT.PUT\_LINE('Row is: ' || c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 3; END LOOP; END proc1; PROCEDURE proc2 IS BEGIN LOOP FETCH c1 INTO v\_prodid; DBMS\_OUTPUT.PUT\_LINE('Row is: ' || c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 6; END LOOP; CLOSE c1; END proc2; END pack\_cur; / The product table has more than 1000 rows. The SQL\*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL\*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL\*Plus SERVEROUTPUT setting is turned on in your session. You execute the procedure PROC1 from SQL\*Plus with the command: The product table has more than 1000 rows. The SQL\*Plus SERVEROUTPUT setting is turned on in your session. You execute the procedure PROC1 from SQL\*Plus with the command: EXECUTE pack\_cur.proc1 You execute the procedure PROC1 from SQL\*Plus with the command: EXECUTE pack\_cur.proc1 You execute the procedure PROC1 from SQL\*Plus with the command: EXECUTE pack\_cur.proc1 What is the output in your session? EXECUTE pack\_cur.proc1 What is the output in your session? What is the output in your session? A. ERROR at line 1: What is the output in your session? A. ERROR at line 1: A. ERROR at line 1: B. Row is:**

- A.ERROR at line 1:

B.Row is:

C.Row is:

D.Row is: Row is:

E.Row is: 1 Row is:

F.Row is: 1 Row is: 2

G.Row is: 1 Row is: 2 Row is: 3

H.Row is: 1 Row is: 2 Row is: 3 Row is: 2 Row is: 3

I.Row is: 4

J.Row is: 4 Row is: 5

K.Row is: 4 Row is: 5 Row is: 6 Row is: 5 Row is: 6

**Correct:E F G H**

**5.Examine this procedure: CREATE OR REPLACE PROCEDURE INSERT\_TEAM (V\_ID in NUMBER, V\_CITY in VARCHAR2 DEFAULT 'AUSTIN', V\_NAME in VARCHAR2) IS BEGIN INSERT INTO TEAM (id, city, name) VALUES (v\_id, v\_city, v\_name); COMMIT; END; Which two statements will successfully invoke this procedure in SQL\*Plus? (Choose two.)**

A.EXECUTE INSERT\_TEAM;

B.EXECUTE INSERT\_TEAM(3, V\_NAME=>'LONGHORNS', V\_CITY=>'AUSTIN');

C.EXECUTE INSERT\_TEAM(3,'AUSTIN','LONGHORNS');

D.EXECUTE INSERT\_TEAM (V\_ID := 3, V\_NAME := 'LONGHORNS', V\_CITY := 'AUSTIN');

E.EXECUTE INSERT\_TEAM (3,'LONGHORNS');

**Correct:B C**

**6.You need to create a DML trigger. Which five pieces need to be identified? (Choose five.)**

A.table

B.DML event

C.trigger body

D.package body

E.package name

F.trigger name

G.system event

H.trigger timing

**Correct:A B C F H**

**7.This statement fails when executed: CREATE OR REPLACE TRIGGER CALC\_TEAM\_AVG AFTER INSERT ON PLAYER BEGIN INSERT INTO PLAYER\_BAT\_STAT (PLAYER\_ID, SEASON\_YEAR,AT\_BATS,HITS) VALUES (:NEW.ID, 1997, 0,0); END; To which type must you convert the trigger to correct the error?**

A.row

B.statement

C.ORACLE FORM trigger

D.before

**Correct:A**

**8.Examine this package:**

```

CREATE OR REPLACE PACKAGE discounts
IS
  g_id NUMBER := 7839;
  discount_rate NUMBER := 0.00;
  PROCEDURE display_price (p_price NUMBER);
END discounts;
/
CREATE OR REPLACE PACKAGE BODY discounts
IS
  PROCEDURE display_price (p_price NUMBER)
  IS
  BEGIN
    DBMS_OUTPUT.PUT_LINE('Discounted ' ||
      TO_CHAR(p_price*NVL(discount_rate, 1)));
  END display_price;
  BEGIN
    discount_rate := 0.10;
  END discounts;
/

```

- A. The value of DISCOUNT\_RATE always remains 0.00 in a session.
- B. The value of DISCOUNT\_RATE is set to 0.10 each time the package is invoked in a session.
- C. The value of DISCOUNT\_RATE is set to 1.00 each time the procedure DISPLAY\_PRICE is invoked.
- D. The value of DISCOUNT\_RATE is set to 0.10 when the package is invoked for the first time in a session.

**Correct: D**

**9. Examine this code:**

```

CREATE OR REPLACE PACKAGE comm_package
IS
  g_comm NUMBER := 10;
  PROCEDURE reset_comm(p_comm IN NUMBER);
END comm_package;
/

```

User Jones executes the following code at 9:01am:

```
EXECUTE comm_package.g_comm := 15
```

User Smith executes the following code at 9:05am:

```
EXECUTE comm_package.g_comm := 20
```

- A. g\_comm has a value of 15 at 9:06am for Smith.
- B. g\_comm has a value of 15 at 9:06am for Jones.
- C. g\_comm has a value of 20 at 9:06am for both Jones and Smith.
- D. g\_comm has a value of 15 at 9:03am for both Jones and Smith.
- E. g\_comm has a value of 10 at 9:06am for both Jones and Smith.
- F. g\_comm has a value of 10 at 9:03 for both Jones and Smith.

**Correct: B**

**10. Examine this code:**

```

CREATE OR REPLACE FUNCTION gen_email_name
(p_first_name VARCHAR2, p_last_name VARCHAR2, p_id NUMBER)
RETURN VARCHAR2
IS
  v_email_name VARCHAR2(19);
BEGIN
  v_email_name := SUBSTR(p_first_name, 1, 1) ||
                 SUBSTR(p_last_name, 1, 7) ||
                 '@Oracle.com';
  UPDATE employees
  SET   email = v_email_name
  WHERE employee_id = p_id;
  RETURN v_email_name;
END;

```

- A.DROP gen\_email\_name;
- B.REMOVE gen\_email\_name;
- C.DELETE gen\_email\_name;
- D.TRUNCATE gen\_email\_name;
- E.DROP FUNCTION gen\_email\_name;
- F.ALTER FUNCTION gen\_email\_name REMOVE;

**Correct:E**

**11.The add\_player , upd\_player\_stat , and upd\_pitcher\_stat procedures are grouped together in a package. A variable must be shared among only these procedures. Where should you declare this variable?**

- A.in the package body
- B.in a database trigger
- C.in the package specification
- D.in each procedure's DECLARE section, using the exact same name in each

**Correct:A**

**12.Examine this code:**

```

CREATE OR REPLACE TRIGGER secure_emp
BEFORE LOGON ON employees
BEGIN
  IF (TO_CHAR(SYSDATE, 'DY') IN ('SAT', 'SUN')) OR
     (TO_CHAR(SYSDATE, 'HH24:MI')
      NOT BETWEEN '08:00' AND '18:00')
  THEN RAISE_APPLICATION_ERROR (-20500, 'You may
    insert into the EMPLOYEES table only during
    business hours. ');
  END IF;
END;
/

```

- A.DML trigger
- B.INSTEAD OF trigger
- C.application trigger
- D.system event trigger
- E.This is an invalid trigger.

**Correct:E**

**13.What happens during the execute phase with dynamic SQL for INSERT, UPDATE, and DELETE operations?**

- A.The rows are selected and ordered.
- B.The validity of the SQL statement is established.
- C.An area of memory is established to process the SQL statement.
- D.The SQL statement is run and the number of rows processed is returned.
- E.The area of memory established to process the SQL statement is released.

**Correct:D****14.Examine this package:**

```

CREATE OR REPLACE PACKAGE manage_emp
IS
    tax_rate CONSTANT NUMBER(5,2) := .28;
    v_id NUMBER;
    PROCEDURE insert_emp (p_deptno NUMBER, p_sal NUMBER);
    PROCEDURE delete_emp;
    PROCEDURE update_emp;
    FUNCTION calc_tax (p_sal NUMBER)
        RETURN NUMBER;
END manage_emp;
/
CREATE OR REPLACE PACKAGE BODY manage_emp
IS
    PROCEDURE update_sal
        (p_raise_amt NUMBER)
    IS
    BEGIN
        UPDATE emp
            SET sal = (sal * p_raise_amt) + sal
            WHERE empno = v_id;
    END;
    PROCEDURE insert_emp
        (p_deptno NUMBER, p_sal NUMBER)
    IS
    BEGIN
        INSERT INTO emp(empno, deptno, sal)
            VALUES(v_id, p_deptno, p_sal);
    END insert_emp;
    PROCEDURE delete_emp
    IS
    BEGIN
        DELETE FROM emp
            WHERE empno = v_id;
    END delete_emp;
    PROCEDURE update_emp
    IS
        v_sal NUMBER(10, 2);
        v_raise NUMBER(10, 2);

```

- A.one
- B.two
- C.three

- D.four
- E.five
- F.none

**Correct:F**

**15.You need to remove the database trigger BUSINESS\_HOUR. Which command do you use to remove the trigger in the SQL\*Plus environment?**

- A.DROP TRIGGER business\_hour;
- B.DELETE TRIGGER business\_hour;
- C.REMOVE TRIGGER business\_hour;
- D.ALTER TRIGGER business\_hour REMOVE;
- E.DELETE FROM USER\_TRIGGERS WHERE TRIGGER\_NAME = 'BUSINESS\_HOUR';

**Correct:A**

**16.Which three are valid ways to minimize dependency failure? (Choose three.)**

- A.querying with the SELECT \* notation
- B.declaring variables with the %TYPE attribute
- C.specifying schema names when referencing objects
- D.declaring records by using the %ROWTYPE attribute
- E.specifying package.procedure notation while executing procedures

**Correct:A B D**

**17.Procedure PROCESS\_EMP references the table EMP . Procedure UPDATE\_EMP updates rows of table EMP through procedure PROCESS\_EMP . There is a remote procedure QUERY\_EMP that queries the EMP table through the local procedure PROCESS\_EMP . The dependency mode is set to TIMESTAMP in this session. Which two statements are true? (Choose two.)**

- A.If the signature of procedure PROCESS\_EMP is modified and successfully recompiles, the EMP table is invalidated.
- B.If internal logic of procedure PROCESS\_EMP is modified and successfully recompiles, UPDATE\_EMP gets invalidated and will recompile when invoked for the first time.
- C.If the signature of procedure PROCESS\_EMP is modified and successfully recompiles, UPDATE\_EMP gets invalidated and will recompile when invoked for the first time.
- D.If internal logic of procedure PROCESS\_EMP is modified and successfully recompiles, QUERY\_EMP gets invalidated and will recompile when invoked for the first time.
- E.If internal logic of procedure PROCESS\_EMP is modified and successfully recompiles, QUERY\_EMP gets invalidated and will recompile when invoked for the second time.

**Correct:B E**

**18.You have a table with the following definition: CREATE TABLE long\_tab (id NUMBER, long\_col LONG); You need to convert the LONG\_COL column from a LONG data type to a LOB data type. Which statement accomplishes this task?**

- A.ALTER TABLE long\_tab MODIFY (LONG\_COL CLOB);
- B.EXECUTE dbms\_lob.migrate(long\_tab, long\_col, clob)
- C.EXECUTE dbms\_manage.lob.migrate(long\_tab, long\_col, clob)
- D.EXECUTE utl\_lob.migrate(long\_tab, long\_col, clob)
- E.EXECUTE utl\_manage\_lob.migrate(long\_tab, long\_col, clob)

**Correct:A**

**19.Examine this code:**

```
CREATE OR REPLACE FUNCTION gen_email_name
(p_first VARCHAR2, p_last VARCHAR2)
RETURN VARCHAR2
IS
  v_email_name VARCHAR2(19);
BEGIN
  v_email_name := SUBSTR(p_first, 1, 1) ||
                 SUBSTR(p_last, 1, 7) ||
                 '@Oracle.com';
  RETURN v_email_name;
END;
/
```

- A. This function is invalid.
- B. This function can be used against any table.
- C. This function cannot be used in a SELECT statement.
- D. This function can be used only if the two parameters passed in are not null values.
- E. This function will generate a string based on 2 character values passed into the function.
- F. This function can be used only on tables where there is a p\_first and p\_last column.

**Correct: B E**

**20. All users currently have the INSERT privilege on the PLAYER table. You only want your users to insert into this table using the ADD\_PLAYER procedure. Which two actions must you take? (Choose two.)**

- A. GRANT SELECT ON ADD\_PLAYER TO PUBLIC;
- B. GRANT EXECUTE ON ADD\_PLAYER TO PUBLIC;
- C. GRANT INSERT ON PLAYER TO PUBLIC;
- D. GRANT EXECUTE, INSERT ON ADD\_PLAYER TO PUBLIC;
- E. REVOKE INSERT ON PLAYER FROM PUBLIC;

**Correct: B E**